

514 SUITE LANGFORD SLIDING WINDOW

Double hung can be equally at home in a traditional or contemporary home. They are easy to open to get great ventilation.



PRODUCT FEATURES

Custom made sizes to suit your requirement's.

A true 50mm frame, suitable for most residential applications.

All windows come with key locks as standard with a variety of hardware colours including colour match powdercoat.

Optional opening configuration are available including standard both sashes opening or option to open either just the top or just the bottom sash.

The suite is designed to carry a variety of glass types for sound reduction and temperature control.

These windows are certified up to BAL40 bushfire level.

PRODUCT OPTIONS

ENERGY



The following table lists some of the typical WERS rated glass and frame combinations for this window type. For a complete list of all rated glass and frame combinations please contact the office

Glass Type	COOLING	HEATING	U Value	SHGC
4mm Clear	15%	20%	6.2	0.71
5mm Grey	31%	12%	6.2	0.53
6.38mm Comfort Plus Clear	36%	39%	4.3	0.59
6.38mm Comfort Plus Neutral	47%	32%	4.3	0.44

GENERAL	HARDWARE	WEATHER
Max window height 2100 - add a highlight or a lowlite to increase the size Max window width 1200 per sash Max glass thickness 6.38mm Frame depth 50mm	Standard Handle	Max water rating 300Pa